

CLAIMS

What is claimed is:

Sub
21

- 1 1. A method for on-access computer virus scanning of files in an efficient
2 manner, comprising the steps of:
 - 3 (a) identifying a process for accessing files and selecting virus detection actions
4 based at least in part on the identified process if no identifier is assigned
5 thereto;
 - 6 (b) assigning an identifier to the process if no identifier is assigned thereto;
 - 7 (c) selecting virus detection actions based at least in part on the identifier if
8 existent; and
 - 9 (d) performing the virus detection actions on the files.
- 1 2. The method as recited in claim 1, wherein the identifier is cleared upon the
2 occurrence of a predetermined event.
- 1 3. The method as recited in claim 2, wherein the identifier is reused after being
2 cleared.
- 1 4. The method as recited in claim 2, wherein the event is the termination of an
2 application.
- 1 5. The method as recited in claim 4, wherein the identifier is assigned by the
2 application.
- 1 6. The method as recited in claim 4, wherein the application is adapted for
2 executing the process.

- 1 7. A computer program product for on-access computer virus scanning of files
2 in an efficient manner, comprising:
3 (a) computer code for identifying a process for accessing files and selecting virus
4 detection actions based at least in part on the identified process if no
5 identifier is assigned thereto;
6 (b) computer code for assigning an identifier to the process if no identifier is
7 assigned thereto;
8 (c) computer code for selecting virus detection actions based at least in part on
9 the identifier if existent; and
10 (d) computer code for performing the virus detection actions on the files.
- 1 8. The computer program product as recited in claim 7, wherein the identifier is
2 cleared upon the occurrence of a predetermined event.
- 1 9. The computer program product as recited in claim 8, wherein the identifier is
2 reused after being cleared.
- 1 10. The computer program product as recited in claim 8, wherein the event is the
2 termination of an application.
- 1 11. The computer program product as recited in claim 10, wherein the identifier
2 is assigned by the application.
- 1 12. The computer program product as recited in claim 10, wherein the
2 application is adapted for executing the process.
- 1 13. A system for on-access computer virus scanning of files in an efficient
2 manner, comprising:
3 (a) logic for identifying a process for accessing files and selecting virus detection
4 actions based at least in part on the identified process if no identifier is
5 assigned thereto;

- 6 (b) logic for assigning an identifier to the process if no identifier is assigned
7 thereto;
8 (c) logic for selecting virus detection actions based at least in part on the
9 identifier if existent; and
10 (d) logic for performing the virus detection actions on the files.

1 14. The system as recited in claim 13, wherein the identifier is cleared upon the
2 occurrence of a predetermined event.

1 15. The system as recited in claim 14, wherein the identifier is reused after being
2 cleared.

1 16. The system as recited in claim 14, wherein the event is the termination of an
2 application.

1 17. The system as recited in claim 16, wherein the identifier is assigned by the
2 application.

1 18. The system as recited in claim 16, wherein the application is adapted for
2 executing the process.